



- 間仕切り壁凡例
- 造作壁(LGS+PB12.5 2層貼り+ガラスウール)
  - 造作壁(LGS+PB12.5/片面2層貼り)
  - 造作壁(LGS+PB12.5)

■排煙計算

<ul style="list-style-type: none"> <li>・受付・待合スペース 7.52m<sup>2</sup>+36.79m<sup>2</sup>=44.31m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> <li>・採血室 6.63m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> </ul>	<ul style="list-style-type: none"> <li>・診察室1 6.84m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> <li>・診察室2 6.84m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> </ul>	<ul style="list-style-type: none"> <li>・診察室3 6.84m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> <li>・診察室4 6.84m<sup>2</sup> 告示1436号第4二(4)により排煙免除</li> </ul>	<ul style="list-style-type: none"> <li>・バックヤード 40.76m<sup>2</sup>/50=0.82m<sup>2</sup> 排煙窓 8.29m<sup>2</sup>&gt;0.82m<sup>2</sup> OK</li> </ul>
--	--	--	---